

TECHNICAL DATA SHEET

1. COMPRESSIVE STRENGTH

- Tested in accordance with ASTM C39

2. TENSILE STRENGTH

- Tested in accordance with ASTM C190

3. FLEXURAL STRENGTH

- Tested in accordance with ASTM C348

4. SHEAR BOND

- Tested in accordance with ASTM C482

5. WATER ABSORPTION

- Tested in accordance with Section 4.6 of ICC-ES Acceptance Criteria

6. FREEZE / THAW CHARACTERISTICS

- Tested in accordance with ASTM C67

7. DENSITY

- Tested in accordance with ASTM C567

8. NONCOMBUSTIBLE

- Tested and Listed by Underwriters Laboratories

Anatoliy Stone® is engineered to meet or exceed building code requirements. Independent testing confirms compliance with ICC-ES Acceptance Criteria 51 for Precast Stone Veneer. Local building codes may vary by area. Always check with your local building authorities before installing stone.

INGREDIENTS:

- Portland Cement
- Lightweight Aggregate
- Mineral Oxide Colors



Evaluation Reports and Certifications:

- ICC-ES REPORT ESR-3303
- UNIT BURNING CHARACTERISTICS
- FLAME SPREAD 0
- SMOKE DEVELOPED 0
- UNDERWRITERS LABORATORIES



**Underwriters
Laboratories**

COLORFASTNESS

Only mineral oxides are used. No undesirable color change is noticeable even after years of weathering.

COST

The installed cost of Anatoliy Stone® is approximately 1/4 to 1/2 the cost of natural stone.